## TEXAS COMMISSION ON JAIL STANDARDS JAIL INSPECTION REPORT

Facility Name:		Freestone C	o. Jail	Date:	March 13, 2019
Item	Section	Paragraph	Comments		
1	263	.42	Each facility, after consultation with the local Protection, shall have and implement a will prevention and a fire hazard inspection che calendar quarter. The facility shall be inspection, it was observed on 2/8/2018 which is over one	ritten plan, approved ecklist which shall be sted annually by a loo erved that the last	d by the Commission, for fire evaluated no less than each cal fire official.
2	263	.51 (d)(2)	Upon detection, an alarm system shall autor automatic smoke control system.  During the fire drill, it was determined engage automatically when the artificial head as required.	I that the smoke	evacuation system did not
3	273	.5 (a)(1)	Training. Provisions for staff training (included recognition, supervision, documentation, and and/or potentially suicidal. Supplemental training responsible for intake screening  No documentation could be provided by 60 minutes of suicide prevention training approved operation plan.	nd handling of inmate aining should be pro	tes who are mentally disabled by ided to those staff members at jail staff are receiving the
4	275	.1	Facilities shall have an established procedulinmates by jailers no less than once every 6 During a review of observation logs, it was required face-to-face 60 minute observation up to 200 minutes.	0 minutes. vas determined tha	t jail staff are exceeding the
5	285	.1	Each inmate shall be allowed one hour of sat least three days per week.  During a review of recreation logs, it was recreation three times in a seven day particle.	determined that ir	nmates are not being offered

William Phariss
William T. Phariss - TCJS Inspector

Jason Jouett - TCJS Inspector