TEXAS COMMISSION ON JAIL STANDARDS JAIL INSPECTION REPORT Date: April 23, 2019

Facility I	Name:	Hardin Co.	Jail	Date:	April 23, 2019
Item 1	Section 275	Paragraph <u>.</u> 4	Inmates shall be supervised by an atthis chapter. One jailer shall be proinmates are housed, with no less that floor for direct inmate supervision. During a review of staffing rosters, 1:48 officer to inmate ratio at all times.	ovided on each floor of the an 1 jailer per 48 inmates o	e facility where 10 or more r increment thereof on each e facility is not meeting the
2	279	.3	Preventive maintenance, to include r secure, and sanitary facility. During a walkthrough of the f maintenance. The following areas of Detox 1 – Sink button covers missing N – Large bolt protruding from shown – Shower needing cleaning Q – Mirrors missing, sink #1 no coutton covers P – Sink #1 has a slow drain, sink # H – Low water pressure on the shown X – No hot water in the sink FF – Uncovered electrical outlet with W – Entire shower panel loose & be 302 – Toilet not working	facility, this inspector of were identified: ng wer panel; shower needing old water, sink #2 no hot \$2 low water pressure on h wer, empty electrical box r	observed areas requiring g cleaning water, both sinks missing ot water missing plate cover aking at base
3	283	.3 (3)	Provide maximum time limits not to edays for written replies by the grievan During a review of inmate grievand a 15 day interim response on every	ce board. es, it was determined that	jail staff are not providing
4	285	.1	Each facility shall have and implement inmate physical exercise and physical physical recreation shall be maintained one hour of supervised physical exercises.	cal recreation. Documentation of the commission review. E	on of physical exercise and Each inmate shall be allowed

While reviewing inmate recreation logs, it was determined that staff are not offering recreation for one (1) hour at least three (3) days a week as required by minimum jail standards.

William T. Phariss, TCJS Inspector

- William Phariss